


TECHNICAL SPECIFICATION

Hammer wire PM series



File: 2016-06-28

TECHNICAL SUPPORT
Paweł Ciechanowski
p.ciechanowski@polanik.com

I. General description and use

Wire is used to connect the athletic hammer head with handle.



II. Technical specification

Wires are made of steel with diameter 3 mm and galvanized. Length allowance of wires are +/- 2 mm.

Code	Name	*Nominal length [mm]
PM-300	300 mm (hammer wire)	300
PM-360	360 mm (hammer wire)	360
PM-400	400 mm (hammer wire)	400
PM-500	500 mm (hammer wire)	500
PM-570	570 mm (hammer wire)	570
PM-600	600 mm (hammer wire)	600
PM-620	620 mm (hammer wire)	620
PM-670	670 mm (hammer wire)	670
PM-700	700 mm (hammer wire)	700
PM-720	720 mm (hammer wire)	720
PM-750	750 mm (hammer wire)	750
PM-770	770 mm (hammer wire)	770
PM-780	780 mm (hammer wire)	780
PM-787	787 mm (hammer wire)	787
PM-800	800 mm (hammer wire)	800
PM-810	810 mm (hammer wire)	810
PM-820	820 mm (hammer wire)	820
PM-840	840 mm (hammer wire)	840
PM-850	850 mm (hammer wire)	850
PM-860	860 mm (hammer wire)	860
PM-870	870 mm (hammer wire)	870

Code	Name	*Nominal length [mm]
PM-880	880 mm (hammer wire)	880
PM-890	890 mm (hammer wire)	890
PM-895	895 mm (hammer wire)	895
PM-900	900 mm (hammer wire)	900
PM-910	910 mm (hammer wire)	910
PM-920	920 mm (hammer wire)	920
PM-940	940 mm (hammer wire)	940
PM-950	950 mm (hammer wire)	950
PM-960	960 mm (hammer wire)	960
PM-970	970 mm (hammer wire)	970
PM-977	977 mm (hammer wire)	977
PM-980	980 mm (hammer wire)	980
PM-982	982 mm (hammer wire)	982
PM-987	987 mm (hammer wire)	987
PM-990	990 mm (hammer wire)	990
PM-992	992 mm (hammer wire)	992
PM-998	998 mm (hammer wire)	998
PM-1000	1000 mm (hammer wire)	1000
PM-1010	1010 mm (hammer wire)	1010
PM-1020	1020 mm (hammer wire)	1020
PM-1030	1030 mm (hammer wire)	1030
PM-1052	1052 mm (hammer wire)	1052
PM-1057	1057 mm (hammer wire)	1057
PM-1060	1060 mm (hammer wire)	1060
PM-1067	1067 mm (hammer wire)	1067
PM-1100	1100 mm (hammer wire)	1100
PM-1130	1130 mm (hammer wire)	1130

III. Packing and transport

Wires are packing in foil.

IV. Declaration

1) No. 2016-06-28

2) Issuer's name: POLANIK

Issuer's address: Życzliwa 11, 97-300 Piotrków Tryb.

3) Objects of declaration

Code	Name	Nominal length [mm]
PM-300	300 mm (hammer wire)	300
PM-360	360 mm (hammer wire)	360
PM-400	400 mm (hammer wire)	400
PM-500	500 mm (hammer wire)	500
PM-570	570 mm (hammer wire)	570
PM-600	600 mm (hammer wire)	600
PM-620	620 mm (hammer wire)	620
PM-670	670 mm (hammer wire)	670
PM-700	700 mm (hammer wire)	700
PM-720	720 mm (hammer wire)	720
PM-750	750 mm (hammer wire)	750
PM-770	770 mm (hammer wire)	770
PM-780	780 mm (hammer wire)	780
PM-787	787 mm (hammer wire)	787
PM-800	800 mm (hammer wire)	800
PM-810	810 mm (hammer wire)	810
PM-820	820 mm (hammer wire)	820
PM-840	840 mm (hammer wire)	840
PM-850	850 mm (hammer wire)	850
PM-860	860 mm (hammer wire)	860
PM-870	870 mm (hammer wire)	870
PM-880	880 mm (hammer wire)	880
PM-890	890 mm (hammer wire)	890
PM-895	895 mm (hammer wire)	895
PM-900	900 mm (hammer wire)	900
PM-910	910 mm (hammer wire)	910
PM-920	920 mm (hammer wire)	920
PM-940	940 mm (hammer wire)	940
PM-950	950 mm (hammer wire)	950
PM-960	960 mm (hammer wire)	960
PM-970	970 mm (hammer wire)	970
PM-977	977 mm (hammer wire)	977
PM-980	980 mm (hammer wire)	980
PM-982	982 mm (hammer wire)	982
PM-987	987 mm (hammer wire)	987
PM-990	990 mm (hammer wire)	990
PM-992	992 mm (hammer wire)	992



Code	Name	Nominal length [mm]
PM-998	998 mm (hammer wire)	998
PM-1000	1000 mm (hammer wire)	1000
PM-1010	1010 mm (hammer wire)	1010
PM-1020	1020 mm (hammer wire)	1020
PM-1030	1030 mm (hammer wire)	1030
PM-1052	1052 mm (hammer wire)	1052
PM-1057	1057 mm (hammer wire)	1057
PM-1060	1060 mm (hammer wire)	1060
PM-1067	1067 mm (hammer wire)	1067
PM-1100	1100 mm (hammer wire)	1100
PM-1130	1130 mm (hammer wire)	1130

4) Technical specification described above is in accordance with the factory's internal engineering standards.

Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed for and in behalf for:

POLANIK

2016-06-28 Piotrków Tryb.

(Date and place of issue)

Paweł Ciechanowski

Product Manager

6)

(Name, function)

.....
(Signature or equivalent authorized by the issuer)